

# Premier Series 5000 Stretcher



## Features & Specifications

- Techlem "Posi-Lock" Braking System
- Four Corner Access Brake / Steer Pedals
- 8" (20cm) All Surface, Four Wheel Locking Casters
- Techlem "Accu-Steer" Fifth Wheel Steering
- Zero Clearance, Full Patient Surface Length Side Rails
- Side Rail Safety Release at Head & Foot End
- Hands Free Trendelenberg / Reverse Trendelenberg:  
+18 Degrees to -18 Degrees
- Pneumatic Assist Head Section: 0 Degrees to 90 Degrees
- Raise / Lower Pedals: 2 Side Access - *Optional* 4 Side Access
- Wraparound Perimeter Bumper Available in 14 Colors\*\*

## Dimensions

- Height Adjustment: 22" to 35.5" (56cm to 90cm)
- Total Dimensions: 81" X 32.5" (206cm X 83cm)
- Litter Dimensions: 81" X 29.5" (206cm X 75cm)
- Full Length Side Rails: 75" X 12.5" (190cm X 32cm)
- High Density Foam Mattress: 76" X 28.5" X 3"  
(193cm X 73cm X 7.5cm)
- *Optional*: 78" X 28.5" X 3" (198cm X 73cm X 7.5cm)

## Optional Accessories

- Raise / Lower Pedals: 4 Side Access
- High Density Foam Mattress: 3", 4" or 5" (7.5cm, 10cm, or 13cm)
- Viscolastic and Comfort Line Mattress: 4" or 5" (10cm, or 13cm)
- Knee Gatch
- Integrated Utility Tray
- Push / Pull Steering Handles
- I.V. Pole - Permanent, Folding Stainless Steel - Head / Foot
- I.V. Pole - Removable, Adjustable
- I.V. Stand Utility Hitch / Tow Clamp
- Armboards - I.V. or Procedural
- Head / Footboard with Chart Holder
- Restraint Straps
- Vertical Oxygen Tank Holder
- Heel Stirrups - Adjustable- Foot End
- Monitor Stand
- Food Tray
- Crank Fowler Head Section
- Department Identification Labels: Head / Foot End

\*\* See "Techlem Premier Series Color Guide" for Wraparound Bumper and Coordinating Color Accents

# Techlem

## Premier Series 5000BR Bariatric Stretcher



### Features & Specifications:

- Techlem "Posi-Lock" Braking System
- Four Corner Access Brake / Steer Pedals
- 8" (20cm) All Surface, Four Wheel Locking Casters
- Techlem "Accu-Steer" Fifth Wheel Steering
- Zero Clearance, Full Patient Surface Length Side Rails
- Side Rail Safety Release at Head & Foot End
- Hands Free Trendelenberg / Reverse Trendelenberg:  
+12 Degrees to -12 Degrees
- Pneumatic Head Section: 0 Degrees to 90 Degrees
- Raise / Lower Pedals: 2 Side Access - *Optional* 4 Side Access
- Recommended Weight - 650 lbs
- Wraparound Perimeter Bumper Available in 14 Colors\*\*

### Dimensions:

- Height Adjustment: 22" to 32" (56cm to 81cm)
- Total Dimensions: 81" X 35.5" (206cm X 90cm)
- Litter Dimensions: 81" X 32" (206cm X 81cm)
- Full Length Side Rails: 75" X 16" (190cm X 41cm)
- High Density Foam Mattress: 76" X 32" (193cm X 81cm)  
*Optional: 78" X 32" (198cm X 81cm)*

### Optional Accessories:

- Raise / Lower Pedals: 4 Side Access
- High Density Foam Mattress: 4" or 5" (10cm or 13cm)
- Viscolastic and Comfort Line Mattress: 4" or 5" (10cm or 13cm)
- Knee Gatch
- Integrated Utility Tray
- Push / Pull Steering Handles
- I.V. Pole - Permanent, Folding Stainless Steel - Head / Foot
- I.V. Pole - Removable, Adjustable Telescoping
- I.V. Stand Utility Hitch / Tow Clamp
- Armboards - I.V. or Procedural
- Head / Footboard with Chart Holder
- Restraint Straps
- Vertical Oxygen Tank Holder
- Heel Stirrups - Adjustable- Foot End
- Monitor Stand
- Food Tray
- Crank Fowler Head Section
- Head End / Foot End Rails
- Department Identification Labels: Head / Foot End

\*\* See "Techlem Premier Series Color Guide" for Wraparound Bumper and Coordinating Color Accents


Techlem Medical Corporation reserves the right to change material and specifications without notice.  
All sizes are approximate.

**Techlem**  
MEDICAL CORPORATION

6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@uniserve.com,  
techlem@techlem.com

# Techlem

## Premier Series 5000W Extended Stay Stretcher



### Features & Specifications:

- Techlem "Posi-Lock" Braking System
- Four Corner Access Brake / Steer Pedals
- 8" (20cm) All Surface, Four Wheel Locking Casters
- Techlem "Accu-Steer" Fifth Wheel Steering
- Zero Clearance, Full Length Side Rails
- Side Rail Release at Head & Foot End
- Hands Free Trendelenberg / Reverse Trendelenberg:  
+15 Degrees to -15 Degrees
- Pneumatic Head Section: 0 Degrees to 90 Degrees
- Raise / Lower Pedals: 2 Side and Foot Access
- Wider Format for Patient Comfort
- Wraparound Bumper and Accents Available in 14 Colors\*\*

### Dimensions:

- Height Adjustment: 22" to 33" (56cm to 84cm)
- Total Dimensions: 81" X 35.5" (206cm X 90cm)
- Litter Dimensions: 81" X 32" (206cm X 81cm)
- Full Length Side Rails: 75" X 12" (190cm X 31cm)  
Optional: 75" X 16" (190cm X 41cm)
- Mattress Dimensions: 76" X 32" (193cm X 81cm)  
Optional: 78" X 32" (198cm X 81cm)

\*\* See the "Techlem Wraparound Bumper and Accents Color Guide" for Designer's Choice Color Selection

Techlem Medical Corporation reserves the right to change material and specifications without notice. All sizes are approximate.

### Optional Accessories:

- Crank Fowler Head Section
- Raise / Lower Pedals: 4 Side Access
- Conductive Mattress: 3", 4" or 5" Thickness (7.5cm, 10cm or 13cm Thickness)
- Pressure Sensitive Mattress: 4" or 5" Thickness (10cm or 13cm)
- Knee Gatch
- Push / Pull Steering Handles
- I.V. Pole - Stainless Steel Permanent Folding Head / Foot End
- I.V. Pole - Removable, Adjustable Telescoping
- I.V. Stand Utility Hitch
- I.V. Armboard
- Head or Foot Rail
- Head / Footboard with Chart Holder
- Restraint Straps
- Vertical Oxygen Tank Holder
- Heel Stirrups - Adjustable- Foot End
- Department Identification Labels: Head / Foot End

**Techlem**  
MEDICAL CORPORATION

6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@techlem.com, techlem@istar.ca

5000W - 0610

# Techlem

## Premier Series 4500 GYN Stretcher



### Features & Specifications:

- Sliding Top Deck - Converts From Stretcher to Chair
- Infinite Chair Positioning - Supine to Full Chair
- Pneumatic Assist Head Section: 0 to 90 Degrees
- Pneumatic Assist Leg Section: 0 to 105 Degrees
- Trendelenberg / Reverse Trendelenberg: +18 to -18 Degrees
- Head, Dual-Side Hydraulic Height Adjustment Controls
- Integrated, Adjustable, Telescoping Heel Stirrups
- Four Corner Access Brake / Steer Pedals with Techlem "Posi-Lock" Braking System
- Techlem "Accu-Steer" Fifth Wheel Steering System
- 8" (20cm) All Surface, Tente Four Wheel Locking Caster System
- Thermoform Base with Built-in Storage Area & Oxygen Tank Holder
- Built-in Recessed Storage Tray Under Fowler (Head) Section
- Head End Permanently Telescoping Folding I.V. Pole
- Head End Push / Pull Handles - Drop Down Design
- Techlem "Viscolastic" 2 Piece Sectional Mattress
- 4 I.V. plus 4 Accessory Attachment Receptacle Wells
- Total Perimeter Wraparound Bumper with Co-ordinated Accents Available in 14 Colors\*\*

### Dimensions:

- Height Adjustment: 24" to 36.5" (61cm to 93cm)
- Total Dimensions: 78" X 32" (198cm X 81cm)
- Side Rails: 48" X 12" (123cm X 32cm)
- Sectional Mattress Dimensions: 74" X 26" X 4" (193cm X 73cm X 10cm)

### Optional Accessories:

- Mattress: 4" (10cm) High Density Foam
- Viscolastic Mattress: 5" (15cm)
- I.V. Pole - Stainless Steel Permanent Folding
- I.V. Pole - Removable, Adjustable
- I.V. Stand Utility Hitch
- I.V. Armboard
- Integrated Fold-Out Footrest Section
- Restraint Straps
- Vertical Oxygen Tank Holder
- Department Identification Labels: Head / Foot End

\*\* See the "Techlem Wraparound Bumper and Accents Color Guide"

Techlem Medical Corporation reserves the right to change material and specifications without notice. All measurements are approximate.

**Techlem**  
MEDICAL CORPORATION  
6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@uniserve.com  
techlem@techlem.com

# Techlem

## Premier Series 4500 GYN Stretcher

Variable Patient Positioning -  
Stretcher to Chair



Integrated, Fold-a-way,  
Adjustable, Telescoping  
Stirrups



**Techlem**  
MEDICAL CORPORATION

6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: [techlem@uniserve.com](mailto:techlem@uniserve.com),  
[techlem@techlem.com](mailto:techlem@techlem.com)

4500GYN-2-112

# Techlem

## Premier Series 4500 / 4500N Stretchers



### Specifications:

- Height Adjustment: 22" to 35.5" (56cm to 90cm)
- Integrated Fold Down / Collapsible Side Rails: 60.5" X 12.5" (154cm X 32cm)
- Raise / Lower Pedals: Side Access (Optional 4 Side Access)
- Hands Free Trendelenberg / Reverse Trendelenberg: +18 Degrees to -18 Degrees
- 8" (20cm) All Surface, 4 Wheel Locking Casters
- Accu-Steer Fifth Wheel Steering
- Techlem Posi-Lock Braking System
- Pneumatic Assist Head Section: 0 Degrees to 90 Degrees
- Wraparound Bumper and Accents Available in 12 Colors\*\*

### 4500 Dimensions:

- Total Dimensions: 81" X 32.5" (206cm X 83cm)
- Litter Dimensions: 81" X 28.5" (206cm X 73cm)
- Mattress Dimensions: 75" X 28.5" X 3" (191cm X 73cm X 7.5cm)

### 4500N (Narrow) Dimensions:

- Total Dimensions: 81" X 29" (206cm X 74cm)
- Litter Dimensions: 81" X 25" (206cm X 64cm)
- Mattress Dimensions: 75" X 25" X 3" (191cm X 64cm X 7.5cm)

\*\* See the "Techlem Wraparound Bumper and Accents Color Guide" for Designer's Choice Color Selection

Techlem Medical Corporation reserves the right to change specifications without notice.

### Optional Accessories:

- Raise / Lower Pedals: 4 Side Access
- Conductive Mattress: 2", 3" or 4" Thickness (5cm, 7.5cm, or 10cm Thickness)
- Pressure Sensitive Mattress: 4" Thickness (10cm Thickness)
- Crank Head Section
- Crank Knee Gatch
- Push / Pull Steering Handles
- Headboard / Steer Handle
- I.V. Pole - Stainless Steel Permanent Folding
- I.V. Pole - Removable, Adjustable
- I.V. Stand Utility Hitch
- I.V. Armboard
- Head / Footboard with Chart Holder
- Restraint Straps
- Food / Instrument Tray
- Vertical Oxygen Tank Holder
- Heel Stirrups - Adjustable- Foot End
- Ophthalmic Head Rest - Adjustable
- Department Identification Labels

**Techlem**  
MEDICAL CORPORATION  
6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@uniserve.com,  
techlem@techlem.com

# Techlem

## Premier Series 4500SN Space Saver Stretcher



### Specifications:

- Height Adjustment: 22" to 35.5" (56cm to 90cm)
- Integrated Fold Down / Collapsible Side Rails: 60.5" X 12.5" (154cm X 32cm)
- Raise / Lower Pedals: Side Access (Optional 4 Side Access)
- Hands Free Trendelenberg / Reverse Trendelenberg: +18 Degrees to -18 Degrees
- 8" (20cm) All Surface, 4 Wheel Locking Casters
- Accu-Steer Fifth Wheel Steering
- Techlem Posi-Lock Braking System
- Pneumatic Assist Head Section: 0 Degrees to 90 Degrees
- Wraparound Bumper and Accents Available in 12 Colors\*\*

### 4500SN Space Saver Dimensions:

- Total Dimensions: 78" X 29" (198cm X 74cm)
- Litter Dimensions: 78" X 25" (198cm X 64cm)
- Mattress Dimensions: 74" X 25" X 3" (188cm X 64cm X 7.5cm)

\*\* See the "Techlem Wraparound Bumper and Accents Color Guide" for Designer's Choice Color Selection

Techlem Medical Corporation reserves the right to change specifications without notice.

### Optional Accessories:

- Raise / Lower Pedals: Head / Foot Access
- Mattress: 3" or 4" Thickness (7.5cm, or 10cm Thickness)
- Pressure Sensitive Mattress: 4" Thickness (10cm Thickness)
- Crank Head Section
- Push / Pull Steering Handles ( 1" length increase)
- Headboard / Steer Handle
- I.V. Pole - Stainless Steel Permanent Folding
- I.V. Pole - Removable, Adjustable
- I.V. Stand Utility Hitch
- I.V. Armboard
- Head / Footboard with Chart Holder
- Restraint Straps
- Food / Instrument Tray
- Vertical Oxygen Tank Holder
- Heel Stirrups - Adjustable- Foot End
- Ophthalmic Head Rest - Adjustable
- Department Identification Labels

**Techlem**  
MEDICAL CORPORATION

6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@techlem.com, techlem@istar.ca

# Techlem

## Premier Series 4500CSF Space Saver Stretcher



### Specifications:

- Height Adjustment: 22" to 35.5" (56cm to 90cm)
- Integrated Fold Down / Collapsible Side Rails: 60.5" X 12.5" (154cm X 32cm)
- Raise / Lower Pedals: Side Access (Optional 4 Side Access)
- Hands Free Trendelenberg / Reverse Trendelenberg: +18 Degrees to -18 Degrees
- 8" (20cm) All Surface, 4 Wheel Locking Casters
- Accu-Steer Fifth Wheel Steering
- Techlem Posi-Lock Braking System
- Pneumatic Assist Head Section: 0 Degrees to 90 Degrees
- Wraparound Bumper and Accents Available in 14 Colors\*\*

### 4500CSF Space Saver Dimensions:

- Total Dimensions: 74" X 29" (198cm X 74cm)
- Litter Dimensions: 74" X 25" (198cm X 64cm)
- Mattress Dimensions: 74" X 25" X 3" (188cm X 64cm X 7.5cm)

\*\* See the "Techlem Wraparound Bumper and Accents Color Guide" for Designer's Choice Color Selection

Techlem Medical Corporation reserves the right to change specifications without notice.

### Optional Accessories:

- Raise / Lower Pedals: Head / Foot Access
- Mattress: 3" or 4" Thickness (7.5cm, or 10cm Thickness)
- Pressure Sensitive Mattress: 4" Thickness (10cm Thickness)
- Crank Head Section
- Push / Pull Steering Handles ( 1" length increase)
- I.V. Pole - Removable, Adjustable
- I.V. Stand Utility Hitch
- I.V. Armboard
- Head / Footboard with Chart Holder
- Restraint Straps
- Food / Instrument Tray
- Vertical Oxygen Tank Holder
- Department Identification Labels

**Techlem**  
MEDICAL CORPORATION


6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@techlem.com, techlem@istar.ca

4500CSF-0906



# Techlem

## Premier Series 5000XR Trauma Stretcher



### Specifications:

- Height Adjustment: 25" to 38.5" (64cm to 98cm)
- Zero Clearance / Full Length Side Rails: 75" X 12.5" (191cm X 32cm)
- Raise / Lower Pedals: Head / Foot or Side Access
- Hands Free Trendelenberg / Reverse Trendelenberg: +18 Degrees to -18 Degrees
- 8" (20cm) All Surface, 4 Wheel Locking Casters
- "Total View" Full Surface Accessibility for Cassette Placement
- "Accu-Steer" Fifth Wheel Steering
- Techlem "Posi-Lock" Braking System
- Pneumatic Assist Head Section: 0 Degrees to 90 Degrees
- Wraparound Bumper and Accents Available in 14 Colors\*\*

### Dimensions:

- Total Dimensions: 81" X 32.5" (206cm X 83cm)
- Litter Dimensions: 81" X 29.5" (206cm X 75cm)
- Mattress Dimensions: 76" X 28.5" X 3" (193cm X 73cm X 7.5cm)
- Fibre Resin Film Surface: 74" X 26" (188cm X 66cm)

\*\* See the "Techlem Wraparound Bumper and Accents Color Guide" for Designer's Choice Color Selection

Techlem Medical Corporation reserves the right to change specifications without notice.

### Optional Accessories:

- Raise / Lower Pedals: Head / Foot Access
- Mattress: 3" or 4" Thickness (7.5cm, or 10cm Thickness)
- Crank Head Section
- Upright Cassette Holder
- Push / Pull Steering Handles
- Headboard / Steer Handle
- I.V. Pole - Stainless Steel Permanent Folding
- I.V. Pole - Removable, Adjustable
- I.V. Stand Utility Hitch
- I.V. Armboard
- Head / Footboard with Chart Holder
- Restraint Straps
- Vertical Oxygen Tank Holder
- Heel Stirrups - Adjustable- Foot End
- Department Identification Labels

## Techlem MEDICAL CORPORATION

6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@uniserve.com  
techlem@techlem.com

# Techlem

## Premier Series 5000C Cadaver Stretcher



### Specifications:

- Mint Green Vinyl Covered Canopy With Flap Access for Personal Belongings
- Light Weight Removable Canopy Frame
- Stainless Steel Recessed Litter
- Techlem "Posi-Lock" Braking System
- 8" (20cm) All Surface, 4 Wheel Central Lock Casters
- "Accu-Steer" Fifth Wheel Steering
- 4 Corner Access Brake / Steer Pedals
- Raise / Lower Pedals - 4 Side Access
- Mint Green Wraparound Bumper & Accents
- Easy Clean Base with Integrated Storage

### 5000C Dimensions:

- Total Dimensions: 78" x 29" (198cm x 74cm)
- Hydraulic Height Adjustment 22" to 35.5" (56cm to 90cm)
- Recessed Litter - 77" x 29" (196cm x 74cm)
- Canopy: 76" x 28" x 14" (193cm x 72cm x 36cm)
- 500 lb (227kg) Weight Capacity

Techlem Medical Corporation reserves the right to change specifications without notice.  
All measurements are approximate.

**Techlem**  
**MEDICAL CORPORATION**

6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925

E-mail: [techlem@uniserve.com](mailto:techlem@uniserve.com), [techlem@techlem.com](mailto:techlem@techlem.com) 5000C-1112

# **Techlem** Premier Series 5000BRC Bariatric Cadaver Stretcher



## **Specifications:**

- Mint Green Vinyl Covered Canopy With Flap Access for Personal Belongings
- Light Weight Removable Frame
- Stainless Steel Recessed Litter
- Wraparound Bumper
- 8" (20cm) All Surface, 4 Wheel Central Lock Casters
- "Accu-Steer" Fifth Wheel Steering
- 4 Corner Access Brake / Steer Pedals
- Head / Foot End raise Lower Pedals
- Mint Green Wraparound Bumper & Accent
- Easy Clean Base with Integrated Storage

## **5000BRC Dimensions:**


- Total Dimensions: 81"L x 32"W (206cm x 81cm)
- Hydraulic Height Adjustment 22" to 32" (56cm to 81cm)
- Canopy: 80"L x 32"W x 24"H (203cm x 81cm x 61cm)
- 600 lb (273 kg) Weight Capacity

Techlem Medical Corporation reserves the right to change specifications without notice.  
All measurements are approximate.

**Techlem**  
**MEDICAL CORPORATION**  
6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: [techlem@istar.ca](mailto:techlem@istar.ca) 5000c - 0409

# Techlem

## Easy Lift 7600 Transfer Stretcher



### Specifications:

- Adjustable Height: 30" (76cm) to 42" (107cm)
- 5" (12.7 cm) All Surface Casters - 2 Swivel Locking
- Accessory # 7601C Standard Sheet Included
- Accessory # 3113 I.V. Pole Included
- Load Capacity 300 LBS. (136 kilos)

### 7600 Top Frame Dimensions:

- Outside Dimensions: 77" X 31" (196cm X 79cm)
- Inside Dimensions: 74" X 24.5" (188cm X 62cm)

Techlem TM is a registered trademark of Techlem Medical Corporation.

Techlem Medical Corporation reserves the right to change specifications without notice.  
All measurements are approximate.

### Optional Accessories:

- 7601C Standard Sheet
- 7602C Cysto-Obstetric Sheet
- 7603C Cataract / Cardiac Sheet
- 7605C Bath Sheet
- 3113 I.V. Pole - Telescoping
- 3114 I.V. Pole - Telescoping (to Hold I.V. Pump)
- 4012 Vertical Oxygen Tank Holder
- 7610 Fifth Wheel

**Techlem**  
MEDICAL CORPORATION

6890 Pacific Circle, Mississauga  
Ontario, Canada, L5T 1N8  
Phone: 1-800-387-4848, 905-670-5000  
Fax: 905-670-3925  
E-mail: techlem@techlem.com, techlem@istar.ca