TECHLEM
STRETCHERS

TECHLEM STRETCHERS CATALOGUE

A PATIENT HANDLING SOLUTIONS COMPANY

Proudly MADE IN CANADA

TABLE OF CONTENTS

TECHLEM STRETCHERS

ABOUT US — 1
OUR HISTORY & OUR MISSION

FEATURES & ACCESSORIES — 2-3
ANATOMY OF THE TECHLEM STRETCHER . OPTIONAL ACCESSORIES

SERIES 5000 STRETCHERS — 4-8
TRANSPORT . BARIATRIC . EXTENDED STAY . FIXED HEIGHT . X-RAY & TRAUMA

SERIES 7600 STRETCHER — 9
PATIENT LIFT & TRANSFER

SERIES 4500 STRETCHERS — 10-12
DROP-RAIL . COMPACT . GYNAECOLOGY

CADAVER STRETCHERS — 13
CADAVER . BARIATRIC CADAVER

COLOUR GUIDE — 14
BUMPER ACCENTS . I.D. ACCENTS

I.V. STAND — 15
MODEL 802A

ACCESSORIES GUIDE — 16-17
FOR ALL TECHLEM STRETCHERS

ABOUT US

TECHLEM STRETCHERS

For 60 years, Techlem has provided patient handling solutions to hospitals and clinics around the world. From our first stretcher prototype to our most recent full hospital outfit, we've strived for value, efficiency, and care. Our products are proudly North American made with the highest quality components, delivering industry best costs of ownership.

Our passionate staff work tirelessly to produce durable, high quality products with customer service to match. We create unique, user-friendly catalogues for our supply chain partners, bridging the gap between purchasers and end-users. Why choose to partner with Techlem? Because of our commitment to finding the most useful, cost effective, and personalized catalogue program for every customer. Why choose Techlem stretchers? Because in quality control, durability, cost of ownership, and value over time, they are the envy of the industry.

We value our 60 years of partnerships. We have a dedicated staff with more than 100 combined years' experience in the industry, and nearly 100 years' combined service to Techlem.

Our unshakably caring corporate culture is our pride. We extend this culture in well established, long lasting relationships with customers in the Americas, Europe, Asia, and Australia. We maintain a commitment to a same or next-day response time, and to a highly competitive turnaround time at every step of the purchase process, from quotation to invoicing. We offer a personal, conscientious customer service unmatched in the industry.

ANATOMY OF THE TECHLEM STRETCHER

TECHLEM STRETCHERS

"Zero Clearance" Side-Rails

Protective Shroud

Four-Sided Access, Hands-Free Lift/ Lower/Trendelenburg/Reverse Trendelenburg

8" All-Surface Casters

Pneumatic or Crank Fowler

Personal Belongings & Horizontal O^2 Tank Holder

"Accu-Steer" Dual 5th Wheel

"Drop-Rail" Side-Rails

Bumper and Colour Accents

"Posi-Lock" Braking

PHONE: 1-800-387-4848 I WEBSITE: TECHLEMSTRETCHERS.COM I EMAIL: INFO@TECHLEM.COM

Removable Food Tray (5007)
Permanent (5010) or Removable (3113) I.V. Pole
Push & Pull Handles (5009)
TECHLEM


Vertical Oxygen Tank Holder (4012)
Knee-Lift (5000KG)
4" Viscolastic Mattress (5174P)
TECHLEM

TRANSPORT & GENERAL USE
5000

TECHLEM STRETCHERS

THE PREMIER TECHLEM STRETCHER FOR TRANSPORT AND GENERAL USE FEATURES AN INTEGRATED OXYGEN TANK HOLDER AND PATIENT STORAGE, 5TH WHEEL TECHNOLOGY FOR STEERING ASSIST, AND MORE THAN 20 CUSTOMIZABLE OPTIONS FOR DESIGN AND FUNCTIONALITY.

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 35 1/2"
HANDS-FREE TRENDELENBERG: +18° TO -18°
PNEUMATIC ASSIST FOWLER: 0° TO 90°
8" ALL-SURFACE, LOCKING CASTERS
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM
ZERO CLEARANCE SIDE-RAILS

DIMENSIONS

TOTAL DIMENSIONS: 81" X 32 1/2"
LITTER DIMENSIONS: 81" X 29 1/2"
FULL LENGTH SIDE-RAILS: 75" X 12 1/2"
HIGH DENSITY FOAM MATTRESS: 76" X 28 1/2" X 3"

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE COVER
OPTIONAL: VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER

BARIATRIC
5000BR

TECHLEM STRETCHERS

SAFE, RELIABLE, AND NIMBLE. EQUIPPED WITH TECHLEM'S 5TH WHEEL TEHNOLOGY AND HIGH TENSILE COMPONENTS, OUR BARIATRIC STRETCHER BOASTS A 750 POUND WEIGHT CAPACITY.

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 32"
HANDS-FREE TRENDELENBERG: +12° TO -12°
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM
PNEUMATIC ASSIST FOWLER: 0° TO 90°
8" ALL-SURFACE, LOCKING CASTERS
ZERO CLEARANCE SIDE-RAILS
OPTIONAL FOUR-SIDED ACCESS

DIMENSIONS

TOTAL DIMENSIONS: 81" X 35 1/2"
LITTER DIMENSIONS: 81" X 32"
FULL-LENGTH SIDE RAILS: 75" X 16"
HIGH-DENSITY FOAM MATTRESS: 76" X 32"

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE COVER
OPTIONAL: VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER

EXTENDED STAY
5000W

TECHLEM STRETCHERS

VERSATILE, FUNCTIONAL, AND EXCEPTIONALLY COMFORTABLE. OUR EXTENDED STAY STRETCHER IS EQUIPPED WITH AN EXTRA-WIDE FRAME, ZERO CLEARANCE SIDE-RAILS, AND TECHLEM'S DISTINGUISHED VISCOLASTIC MATTRESS TECHNOLOGY.

MOVEMENT

HANDS-FREE TRENDELENBERG: +15° TO -15°
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM
PNEUMATIC ASSIST FOWLER: 0° TO 90°
8" ALL-SURFACE, LOCKING CASTERS
ZERO CLEARANCE SIDE-RAILS
OPTIONAL FOUR-SIDED ACCESS

DIMENSIONS

TOTAL DIMENSIONS: 81" x 35 1/2"
LITTER DIMENSIONS: 81" x 32"
MATTRESS DIMENSIONS: 76" x 32"

PRESSURE SENSITIVE FOAM MATTRESS WITH VISCOLASTIC, FOUR-WAY STRETCH COVER

FIXED HEIGHT
1100 / 1000N

TECHLEM STRETCHERS

TECHLEM'S VALUE STRETCHER OPTION, OUR FIXED HEIGHT STRETCHER IS EQUIPPED WITH MANY OF THE SAME FEATURES AS OUR TRANSPORT STRETCHER, WITHOUT THE ADJUSTABLE HEIGHT.



MOVEMENT

HANDS-FREE TRENDELENBERG: +18° TO -18°
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM
PNEUMATIC ASSIST FOWLER: 0° TO 90°
8" ALL-SURFACE, LOCKING CASTERS
ZERO CLEARANCE SIDE-RAILS

DIMENSIONS

REGULAR
TOTAL DIMENSIONS: 81" X 32 1/2"
MATTRESS DIMENSIONS: 75" X 28 1/2"
NARROW
TOTAL DIMENSIONS: 81" X 29"
MATTRESS DIMENSIONS: 75" X 25"

FULL WIDTH, HIGH DENSITY FOAM MATTRESS WITH A CONDUCTIVE COVER

PATIENT LIFT
7600

TECHLEM STRETCHERS

SIMPLE AND EFFICIENT IN DESIGN, OUR PATIENT LIFT AND TRANSFER STRETCHER IS ADAPTABLE TO YOUR CLINICAL ENVIRONMENT. HANDCRAFTED FROM HIGH GRADE MATERIALS, THE 7600 IS HIGHLY DURABLE, MANTAINING ITS FORM AND FUNCTION OVER DECADES OF USE.



MOVEMENT

HEIGHT ADJUSTMENT: 30" TO 42"
5" ALL-SURFACE, LOCKING CASTERS
5TH WHEEL FOR STEER ASSIST
CRANK HANDLE FOR EASE OF USE

DIMENSIONS

OUTSIDE DIMENSIONS: 77" X 31"
INSIDE DIMENSIONS: 74" X 24 1/2"

TRAUMA & X-RAY
5000XR

TECHLEM STRETCHERS

FOR USE IN TRAUMA AND X-RAY ENVIRONMENTS. EQUIPPED WITH A FIBRE RESIN FILM SURFACE AND HIGH DENSITY RADIOLUCENT MATTRESS. A TECHLEM TOTAL-VIEW DESIGN, WITH FULL SURFACE

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 35 1/2"
HANDS-FREE TRENDELENBERG: +18° TO -18°
PNEUMATIC ASSIST FOWLER: 0° TO 90°
DROP-RAIL, COLLAPSIBLE SIDE-RAILS
8" ALL-SURFACE, LOCKING CASTERS
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM

DIMENSIONS

TOTAL DIMENSIONS: 81" X 32 1/2"
LITTER DIMENSIONS: 81" X 28 1/2"
MATTRESS DIMENSIONS: 75" X 29" X 3"
DROP-RAIL SIDE-RAILS: 60 1/2" X 12 1/2"

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE
COVER OPTIONAL: VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER

DROP-RAIL
4500

TECHLEM STRETCHERS

RELIABLE, MOBILE, AND ACCESSIBLE. OUR DROP-RAIL STRETCHER IS BUILT ON THE SAME, DURABLE CHASSIS AS THE 5000, AND IS EQUIPPED WITH COLLAPSING SIDE-RAILS FOR UNOBSTRUCTED, FOURSIDED ACCESS FOR MEDICAL PROFESSIONALS.

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 35 1/2"
HANDS-FREE TRENDELENBERG: +18° TO -18°
PNEUMATIC ASSIST FOWLER: 0° TO 90°
DROP-RAIL, COLLAPSIBLE SIDE-RAILS
8" ALL-SURFACE, LOCKING CASTERS
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM

DIMENSIONS

TOTAL DIMENSIONS: 81" X 32 1/2"
LITTER DIMENSIONS: 81" X 28 1/2"
MATTRESS DIMENSIONS: 75" X 29" X 3"
DROP-RAIL SIDE-RAILS: 60 1/2" X 12 1/2"

STANDARD: HIGH DENSITY FOAM MATTRESSN WITH CONDUCTIVE COVER
OPTIONAL: VISCOLASTIC, PRESSURESENSITIVE MATTRESS, WITH FOUR-WAY,ELASTATEX STRETCH COVER

COMPACT
4500N / 4500NS

TECHLEM STRETCHERS

HIGHLY ADAPTABLE, OUR COMPACT STRETCHER IS SUITED TO YOUR SMALL-SPACE, CLINICAL ENVIRONMENT. PROVIDES MANY OF THE SAME FEATURES AS THE 4500, INCLUDING COLLAPSING SIDE-RAILS. AVAILABLE IN NARROW AND SHORT & NARROW.

MOVEMENT

HEIGHT: 22" TO 35 1/2"
HANDS-FREE TRENDELENBERG: +18° TO -18°
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM
PNEUMATIC ASSIST FOWLER: 0° TO 90°
8" ALL-SURFACE, LOCKING CASTERS
COLLAPSIBLE SIDE-RAILS

DIMENSIONS

NARROW
TOTAL DIMENSIONS: 81" X 29"
LITTER DIMENSIONS: 81" X 25"
MATTRESS DIMENSIONS: 75" X 25" X 3"
SHORT & NARROW
TOTAL DIMENSIONS: 74" X 29"
LITTER DIMENSIONS: 74" X 25"
MATTRESS DIMENSIONS: 74" X 25" X 3"

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE COVER
OPTIONAL: VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER

GYNAECOLOGY
4500GYN

TECHLEM STRETCHERS

FOR USE IN OBSTETRICS AND GYNAECOLOGY, THE 4500GYN STRETCHER IS EQUIPPED WITH A TWO-PIECE SECTIONAL, VISCOLASTIC MATTRESS. VERSATILE, IT BOASTS SUPINE TO FULL-CHAIR POSITIONING WITH PNEUMATIC ASSIST FOR EASE OF USE.

MOVEMENT

SLIDING TOP DECK: STRETCHER TO CHAIR
SUPINE TO FULL CHAIR POSITIONING
INTEGRATED, ADJUSTABLE HEEL STIRRUPS
HEIGHT ADJUSTMENT: 24" TO 36 1/2"
HANDS-FREE TRENDELENBERG: +18° TO -18°
PNEUMATIC ASSIST FOWLER: 0° TO 90°
PNEUMATIC ASSIST LEG SECTION: 0° TO 105°
8" ALL-SURFACE, LOCKING CASTERS
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM

DIMENSIONS

TOTAL DIMENSIONS: 78" X 32"
COLLAPSIBLE SIDE RAILS: 48" X 12" SECTIONAL
MATTRESS DIMENSIONS: 74" X 26" X 4"

SECTIONAL, PRESSURE SENSITIVE FOAM MATTRESS WITH VISCOLASTIC, FOUR-WAY STRETCH COVER

CADAVER & BARIATRIC CADAVER

5000C & 5000BRC

TECHLEM STRETCHERS

FEATURING FLAP ACCESS FOR PERSONAL BELONGINGS, AND AN EASY-CLEAN BASE WITH INTEGRATED STORAGE, OUR CADAVER STRETCHER IS A SIMPLE, FUNCTIONAL DESIGN FOR USE IN CADAVER HANDLING UP TO 600LBS (C) OR 750LBS (BRC).

MOVEMENT

HEIGHT: 22" TO 35 1/2"(C) OR 22" TO 32" (BRC)
ACCU-STEER 5TH WHEEL
POSI-LOCK BRAKING SYSTEM
8" ALL-SURFACE, LOCKING CASTERS
OPTIONAL FOUR-SIDED ACCESS

DIMENSIONS

5000C
TOTAL DIMENSIONS: 78" X 29"
RECESSED LITTER: 77" X 29"
CANOPY: 76" X 28" X 14"
5000BRC
TOTAL DIMENSIONS: 81" X 32"
RECESSED LITTER: 80" X 32"
CANOPY: 80" X 32" X 24"

FEATURES

-VINYL CANOPY COVER WITH FLAP ACCESS
-LIGHTWEIGHT, REMOVABLE CANOPY FRAME
-STAINLESS STEEL RECESSED LITTER SHEET

I.V. STAND
MODEL 802A

TECHLEM STRETCHERS

MANUFACTURED WITH HEAVY GAUGE COMPONENTS FOR STABILITY AND DURABILITY

FEATURES

- STAINLESS STEEL CONSTRUCTION
- LOWEST COST OF OWNERSHIP BASED ON YEARS IN SERVICE & DURABILITY
- INTEGRATED STAINLESS STEEL PATIENT PULL
- TWO-PIECE CONSTRUCTION FOR EASY ASSEMBLY AND MAINTENANCE
- FOUR INTEGRATED HOOKS FOR MULTIPLE ATTACHMENTS
- OPTIONAL HOOKS AND MONITOR STANDS

SPECIFICATIONS

23" 5-LEG BASE
HIGH DURABILITY 3" RUBBER CASTERS
8" HOOKS
FULL EXTENSION TO 100"
FULL COMPRESSION TO 60"

- Antique Rose
- Dark Rose
- Classic Burgundy
- Tropical Fuschia
- Cranberry Red
- Platinum Grey
- Mint Green
- Sea Mist
- Turquoise Blue
- Graphite
- Teal Blue
- Nautical Blue

* Colour swatches are approximate. Techlem Medical Corporation reserves the right to change specifications without notice

ACCESSORIES GUIDE

TECHLEM STRETCHERS

S - STANDARD
O - OPTIONAL
N/A - NOT AVAILABLE

ACCESSORIES	5000	5000BR	5000W	1100/N	5000XR	7600	4500-N/NS	4500GYN	5000C/BRC
Aereus Shield Side Rail Upgrade **(B500A)**	O	O	O	O	O	N/A	N/A	N/A	N/A
Knee Gatch **(5000KG)**	O	O	O	O	O	N/A	O-N/A	N/A	N/A
Vertical O2 Tank Holder **(4012)**	O	O	O	O	O	S	O	O	N/A
Removable, Adjustable I.V. Pole **(3113)**	O	O	O	O	O	S	O	O	N/A
Push-Pull Handles Set **(5009)**	S	S	S	S	S	N/A	S	S	O
Push-Pull Handles, Aereus Set **(5009A)**	O	O	O	O	O	N/A	O	O	O
Permanent I.V. Pole **(5010)**	S	S	S	S	O	N/A	S	S	N/A
Permanent I.V. Pole, Aereus Shield **(5010A)**	O	O	O	O	O	N/A	O	O	N/A
Head/Footboard/Chart Holder **(3101)**	O	O	O	O	O	N/A	O	O	N/A
Litter Extension **(3102)**	O	O	O	O	O	N/A	O	N/A	N/A
I.V. Armboard **(5003)**	O	O	O	O	O	N/A	O	O	N/A
Articulating Armboard **(5005)**	O	O	O	O	O	N/A	O	O	N/A
I.V. Tow Clamp **(5004)**	O	O	O	O	O	N/A	O	O	N/A
Restraint Straps **(3104)**	O	O	O	O	O	N/A	O	O	N/A
Safety Side Padding **(5110)**	O	O	O	O	O	N/A	N/A	N/A	N/A
Paper Holder **(2109)**	O	O	O	O	O	N/A	O	N/A	N/A
Food/Instrument Tray **(5007)**	O	O	O	O	O	N/A	O	O	N/A
Department I.D. Labels **(5008)**	S	S	S	S	S	O	S	S	N/A
Monitor Stand **(5011)**	O	O	O	O	O	N/A	O	O	N/A
Stirrups With Adapter **(4108)**	O	O	O	O	O	N/A	O	S	N/A
Integrated Utility Tray **(5019)**	S	N/A	N/A	N/A	S	N/A	S	S	N/A
Double Articulating Headrest **(4015)**	O	O	O	O	N/A	N/A	O	O	N/A
Utility Hitch For I.V. Pole **(5004)**	O	O	O	O	N/A	N/A	O	O	N/A
Lateral Wrist Rest (Optional for 4015) **(401502)**	O	O	O	O	N/A	N/A	O	O	N/A
Superior Wrist Rest (Optional For 4015) **(401501)**	O	O	O	O	N/A	N/A	O	O	N/A
Crank Fowler To Replace Pneumatic **(5000C)**	O	N/A	N/A	O	O	N/A	O	N/A	N/A
X-Ray Cassette Holder - Back Section **(5014)**	O	N/A	N/A	O	O	N/A	O	N/A	N/A
X-Ray Cassette Holder - Lateral C-Spine **(5015)**	O	N/A	N/A	O	O	N/A	O	N/A	N/A
Crank Fowler To Replace Pneumatic **(5000XLC)**	N/A	O	O	N/A	N/A	N/A	N/A	N/A	N/A
Extra Height Side-Rails Set **(5111)**	O	O	O	O	O	N/A	N/A	N/A	N/A
Head/Footboard/Chart Holder- Extra Wide **(3101XL)**	N/A	O	O	N/A	O	N/A	N/A	N/A	N/A
Litter Extension - Extra Wide **(3102XL)**	N/A	O	O	N/A	O	N/A	N/A	N/A	N/A
Integrated Utility Tray - Extra Wide **(5019XL)**	N/A	S	S	N/A	O	N/A	N/A	N/A	N/A
Powered Actuator - Fowler **(5020)**	O	O	O	O	O	N/A	O	O	N/A
Powered Actuator - Knee Lift **(5021)**	O	O	O	O	O	N/A	O	N/A	N/A

ACCESSORIES GUIDE

TECHLEM STRETCHERS

ACCESSORIES	5000	5000BR	5000W	1100/N	5000XR	7600	4500-N/NS	4500GYN	5000C/BRC
X-Ray Fowler With Cassette Holder **(5018)**	O	N/A	N/A	O	O	N/A	O	O	N/A
X-Ray Fowler With Cassette Holder **(5018XL)**	N/A	O	O	N/A	N/A	N/A	N/A	N/A	N/A
Lift Sheet - Standard **(7601C)**	N/A	N/A	N/A	N/A	N/A	S	N/A	N/A	N/A
Lift Sheet - Cysto-Obstetrical **(7602C)**	N/A	N/A	N/A	N/A	N/A	O	N/A	N/A	N/A
Lift Sheet - Cataract Sheet **(7603C)**	N/A	N/A	N/A	N/A	N/A	O	N/A	N/A	N/A
Lift Sheet - Bath **(7608C)**	N/A	N/A	N/A	N/A	N/A	O	N/A	N/A	N/A
Rod For Cataract Sheet **(7621)**	N/A	N/A	N/A	N/A	N/A	O	N/A	N/A	N/A
Integrated Scale **(5022)**	O	O	O	O	O	N/A	O	O	O

*TECHLEM MEDICAL CORPORATION RESERVES THE RIGHT TO MODIFY PARTS AND ACCESSORIES LIST, INCLUDING ADDITIONS, DISCONTINUATIONS.